



**KAMAR INFRASTRUCTURE PVT. LTD.**

**KVH 810 WITH KPP 630**


**Kamar Infrastructure Pvt Ltd, Kamar Estate, Devicha Pada, Behind Deepak  
Nitrite, Taloja MIDC, Panvel-410208.Raigad.**

[www.kamartools.com](http://www.kamartools.com)



## KAMAR VIBRO HAMMER MODEL : KVH 810 SHEET PILE CLAMP

DIMENSION : MM




Kamar Infrastructure Pvt Ltd, Kamar Estate, Devicha Pada, Behind Deepak Nitrite, Taloja MIDC, Panvel-410208.Raigad.



## KAMAR VIBRO HAMMER MODEL : KVH 810 DOUBLE CLAMP

DIMENSION : MM



Kamar Infrastructure Pvt Ltd, Kamar Estate, Devicha Pada, Behind Deepak Nitrite, Taloja MIDC, Panvel-410208.Raigad.




## SPECIFICATION

VIBRO HAMMER SERIES			KVH 810
<b>&lt; OPERATING DATA &gt;</b>			
Eccentric moment		(kg-m)	50.7
Max. frequency		(vpm)	1600
Max. Centrifugal force		(kN)	1427
Max. Amplitude		(mm)	30
Max. line pull for extraction		(kN)	454
Max. hydraulic power		(HP)	491
Max. operating pressure		(bar)	350
Max. oil flow		(lpm)	619
<b>&lt; DIMENSIONS &gt;</b>			
Overall length with hose cover		(mm)	2667
Overall width		(mm)	963
Throat width		(mm)	310
Overall height with sheet pile clamp K-126		(mm)	3445
<b>&lt; CLAMPS &gt;</b>			
Sheet pile clamp K-126	Clamping force	(tons)	126
	Weight	(kg)	900
Double clamp 2 X K-80 For casing pile	Clamping force	(tons)	2x80 = 160
	Weight of clamp	(kg)	2x450 = 900
	Beam Length	(mm)	2900
	Weight of beam	(kg)	566
	Casing pile range	(mm)	min. 450 ~ max. 2,193
<b>&lt; WEIGHT &gt;</b>			
Total weight with sheet pile clamp K-126		(kg)	7160 + 900 = 8060
Total weight with double clamp 2xK-80		(kg)	7160 + 900 + 566 = 8626
<b>Suitable Pack Series</b>			<b>KPP 630</b>



## KAMAR VIBRO CLAMP MODEL : K-126

DIMENSION : MM




Kamar Infrastructure Pvt Ltd, Kamar Estate, Devicha Pada, Behind Deepak Nitrite, Taloja MIDC, Panvel-410208.Raigad.



## KAMAR VIBRO CLAMP MODEL : K-80

DIMENSION : MM



Kamar Infrastructure Pvt Ltd, Kamar Estate, Devicha Pada, Behind Deepak Nitrite, Taloja MIDC, Panvel-410208.Raigad.



## SPECIFICATION



POWER PACK SERIES		KPP 630
<b>&lt; OPERATING DATA &gt;</b>		
Engine manufacturer / Model	-	Cummins Engine / QSZ 13
Engine	(HP)	575
Engine speed	(rpm)	2100
Max. pressure	(bar)	350
Max. flow	(lpm)	675
Hydraulic tank capacity	(liter)	1400
Fuel tank capacity	(liter)	540
<b>&lt; DIMENSIONS &gt;</b>		
Overall length	(mm)	4000
Overall width	(mm)	1630
Overall height	(mm)	2150
<b>&lt; WEIGHT &gt;</b>		
Weight with operating	(kg)	7460



**HEAD OFFICE :**

Kamar Estate, Devicha Pada,  
Behind Deepak Nitrite Ltd.,  
Taloja MIDC, Taluka : Panvel, Dist.: Raigad,  
Maharashtra - 410 208. ( INDIA )

Direct No : +91 22 - 2740 1462  
Tel.: +91 22 - 2741 0766 / 2741 0768  
Fax : +91 22 - 2740 1460 / 2740 1458.

**CORPORATE OFFICE :**

20, Husain Patel Marg, Mazgaon,  
Mumbai - 10. ( INDIA )  
Tel.: +91 22 - 2377 6024 / 2371 1811  
Fax : +91 22 - 2371 3708

**Mubashir A. Multani.**

**+91 98704 00112**

[info@kamargroup.com](mailto:info@kamargroup.com) / [mam@kamargroup.com](mailto:mam@kamargroup.com)